

(International) scientific publications

Alves M.M., Sribudiani Y., Brouwer R.W.W., Amiel J., Antinolo G., Borrego S., Ceccherini I., Chakravarti A., Fernandez R.M., Garcia-Barcelo M.M., Griseri P., Lyonnet S, Tam PK, van Ijcken W, Eggen BJ, te Meerman GJ, Hofstra RM. Contribution of rare and common variants determine complex diseases – Hirschsprung disease as a model. Elsevier, Developmental Biology. 2013 Oct 1; 382(1): 320-9

Armant O, März M, Schmidt R, Ferg M, Diotel N, Ertzer R, Bryne JC, Yang L, Baader I, Reischl M, Legradi J, Mikut R, Stemple D, Van Ijcken W, Van der Sloot A, Lenhard B, Strähle U, Rastegar S. Genome-wide, whole mount *in situ* analysis of transcriptional regulators in zebrafish embryos. Developmental Biology 2013 (May 14)

Bergink S, Theil A.F., Toussaint W., De Cuyper I.M., Kulu DI, Clapes T., Van der Linden R., Demmers JA, Mul EP, van Alphen FP, Martijn JA, Van Gent T, Maas A, Robin C, Philipsen J, Vermeulen W., Mitchell JR, Gutiérrez L. Erythropoietic Defect Associated with Reduced Cell Proliferation in Mice lacking the 26S Proteasome Shuttling Factor Rad23b. Molecular and Cellular Biology October 2013, Vol. 33, Number 19, p. 3879-3892

Boisset JC, Clapes T, van der Linden R, Dzierzak E, Robin C. Integrin α_{IIb} (CD41) plays a role in the maintenance of hematopoietic stem cell activity in the mouse embryonic aorta. Biol Open. 2013 Apr. 11;2(5):525-32.

Broekhuis JR, Leong WY, Jansen G. (book chapter) Regulation of Cilium Length and Intraflagellar Transport. International Review of Cell Mol Biol. 2013; 303: 101-38

Broekhuis JR, Rademakers S, Burghoorn J, Jansen G. SQL-1, homologue of the Golgi protein GMAP210, modulates Intraflagellar Transport in *C. elegans*. Journal of Cell Science: 2013 Apr 15; 126(Pt 8): 1785-1795.

Carvalho RH, Hou J, Haberle V, Aerts J, Grosveld F, Lenhard B, Philipsen S. Genomewide DNA Methylation Analysis Identifies Novel Methylated Genes in Non-Small-Cell Lung Carcinomas. Journal of Thoracic Oncology, Volume 8, Number 5, May 2013.

Chung-Te Chang, Hautbergue GM, Walsh MJ, Viphakone N, Van Dijk TN, Philipsen S, Wilson SA. CHtop is a component of the dynamic TREX mRNA export complex. EMBO Journal (2013) 1-14

Conidi A, Van den Berghe V, Leslie K, Stryjewska A, Xue H, Chen YG, Seuntjens E, Huylebroeck D. Four Amino Acids within a Tandem QxVx Repeat in a Predicted Extended α -Helix of the Smad-Binding Domain of Sip1 Are Necessary for Binding to Activated Smad Proteins. PLoS One, 2013: Oct. 11;8(10): e76733

Dekkers J.F., Wiegerinck C.L., Jonge H.R. de., Bronsveld I., Janssens H.M., Winter-de Groot K.M. de, Brandsma A.M., Jong, N.W.M de, Bijvelds M.J.C., Scholte B.J., Nieuwenhuis E.E.S., Brink S. van den, Clevers H., Ent C.K. van der, Middendorp S., Beekman J.M. A functional CFTR assay using primary cystic fibrosis intestinal organoids. Nature Medicine, Volume 19, Number 7, July 2013, 939

Dzierzak E, Philipsen S. Erythropoiesis: Development and Differentiation. Spring Harb Perspect Med. 2013 Apr 1;3(4): a011601

Esteghamat F., Gillemans N, Bilic I, Van den Akker E, Cantu I, Van Gent T, Klingmüller U, Van Lom K, Von Lindern M, Grosveld FG, Van Dijk TB, Busslinger M, Philipsen S. Erythropoiesis and globin switching in compound *Klf1::Bcl11a* mutant mice. Blood, 28 March 2013, Volume 121, Number 13, 2553-2562.

Francius C, Harris A, Rucchin V, Hendricks TJ, Stam FJ, Barber M, Kurek D, Grosveld FG, Pierani A, Goulding M, Clotman F.

Identification of Multiple Subsets of Ventral Interneurons and Differential Distribution along the Rostrocaudal Axis of the Developing Spinal Cord.

Plos One, 2013, Aug. 15; 8(8) e70325

Gagliardi A, Mullin NP, Ying Tan Z, Colby D, Kousa Al, Halbritter F, Weiss JT, Felker A, Bezstarosti K, Favaro R, Demmers J, Nicolis SK, Tomlinson SR, Poot RA, Chambers I.

A direct physical interaction between Nanog and Sox2 regulates embryonic stem cell self-renewal.

EMBO J. 2013 Aug 14;32(16):2231-47.

Ghamari A., Corput M.P.V. van de, Thongjuea S., Cappellen W.A. van, Ijcken W. van., Haren J. van., Soler E., Eick D., Lenhard B., Grosveld FG.

In vivo live imaging of RNA polymerase II transcription factories in primary cells.

Genes & Development 27: 767-777, July 17, 2013

Graaf M. de., Herfst S., Aarbiou J., Burgers P.C., Zaaaraou-Boutahar F., Bijl M., Ijcken W. van, Schrauwen E.J.A., Osterhaus A.D.M.E., Luider T.M., Scholte B.J., Fouchier R.A.M., Andeweg A.C.

Small Hydrophobic Protein of Human Metapneumovirus Does Not Affect Virus Replication and Host Gene Expression *In Vitro*

Plos One, March 2013, Volume 8, Issue 3, e58572

Guiu J, Shimizu R, D'Altri T, Fraser ST, Hatakeyama J, Bresnick EH, Kageyama R, Dzierzak E, Yamamoto M, Espinosa L, Bigas A. Hes repressors are essential regulators of hematopoietic stem cell development downstream of Notch signaling.

J Exp Med 2013 Jan 14; 210(1):71-84

Gits CM, van Kuijk PF, Jonkers MB, Boersma AW, van Ijcken WF, Wozniak A, Sciort R, Rutkowski P, Schöffski P, Taguchi P, Mathijssen RH, Verweij J, Sleijfer S, Debiec-Rychter M., Wiemer EA

MiR-17-92 and miR-221/222 cluster members target KIT and ETV1 in human gastrointestinal stromal tumours.

Br J Cancer, 2013, Sep 17; 109(6): 1625-35

Gomez-Herreros F, Romero-Granados R, Zeng Z, Alvarez-Quilón A, Quintero C, Ju L, Umans L, Vermeire L, Huylebroeck D, Caldecott KW, Cortés-Ledesma F.

TDP2-Dependent Non-Homologous End-Joining Protects against Topoisomerase II-Induced DNA breaks and Genome Instability in Cells and *In Vivo*.

PLoS Genet. 2013; 9(3): e1003226

De Graaf M, Herfst S, Aarbiou J, Burgers PC, Zaaaraoui-Boutahar F, Bijl M, van Ijcken W, Schrauwen EJ, Osterhaus AD, Luider TM, Scholte BJ, Fouchier RA, Andeweg AC.

Small Hydrophobic Protein of Human Metapneumovirus Does Not Affect Virus Replication and Host Gene Expression *In Vitro*.

PLoS One. 2013; 8(3): e58572

Ham H.J. van den, Waal L. de, Zaaaraoui-Boutahar F., Bijl M., Ijcken W.F.J. van, Osterhaus A.D.M.E., Boer R.J. de., Andeweg A.

Early divergence of Th1 and Th2 transcriptomes involves a small core response and sets of transiently expressed genes.

Eur J. Immunol 2013, 43: 1074-1084

Henikoff S and Grosveld F.

Epigenetics & Chromatin: interactions and processes

Epigenetics & Chromatin, 2013, 6:2

Huang Y., Ochieng J.K., Buscop-van Kempen M., Boerema-de Munck A., Swagemakers S., Ijcken W. van, Grosveld FG., Tibboel D., Rottier R.J.

Hypoxia Inducible Factor 3 α Plays a Critical Role in Alveolarization and Distal Epithelial Cell Differentiation during Mouse Lung Development.

Plos One, February 2013, Volume 8, Issue 2, e57695

Huang Y, Kapere Ochieng J, Kempen MB, Munck AB, Swagemakers S, van Ijcken W, Grosveld F, Tibboel D, Rottier RJ Hypoxia inducible 3 α plays a critical role in alveolarization and distal epithelial cell differentiation during mouse lung development.

PLoS One, 2013; 8(2): e57695.

Huax F., Noel S., Drooghe B., Panin N., Re S.L., Lison D., Wallemacq P., Marbaix E., Scholte B.J., Lebecque P., Leal T.
Dysregulated Proinflammatory and Fibrogenic Phenotype of Fibroblasts in Cystic Fibrosis.
Plos One, May 2013, Volume 8, Issue 5, e64341

Imanirad P., Soleimani Kartalaei P, Crisan M, Vink C, Yamada-Inagawa T, de Pater E, Kurek D, Kaimakis P, van der Linden R, Speck N, Dzierzak E.
HIF1 α is a regulator of hematopoietic progenitor and stem cell development in hypoxic sites of the mouse embryo.
Stem Cell Res. 213, Oct 2;12(1):24-35.

Imanirad P, Dzierzak E.
Hypoxia and HIFs in regulating the development of the hematopoietic system.
Blood Cells Mol Dis, 2013 Dec ; 51(4):256-63.

Iglesias AI, Springelkamp H, Linde HV, Severijnen LA, Amin N, Oostra B, Kockx CE, van den Hout MC, van Ijcken WF, Hofman A, Uitterlinden AG, Verdijk RM, Klaver CC, Willemsen R, van Duijn CM
Exome sequencing and functional analysis suggest that *SIX6* is a gene involved in an altered proliferation-differentiation balance early in life and optic nerve degeneration at old age.
Hum Mol Genet, 2013, Nov. 6

Van Jaarsveld MT, Helleman J, Boersma AW, van Kuijk PF, van Ijcken WF, Despierre E, Vergrote I, Mathijssen RH, Berns EM, Verweij J, Pothof J, Wiemer EA.
miR-141 regulates KEAP1 and modulates cisplatin sensitivity in ovarium cancer cells.
Oncogene 2013, Sep 5;32(36); 4284-93

Kaimakis P, Crisan M, Dzierzak E.
The biochemistry of hematopoietic stem cell development.
Biochim Biophys Acta, 2013 Feb;1830(2): 2395-403.

Leslie K., Galjart N.
Chapter 8 - Going Solo: Measuring the Motions of Microtubules with an *In Vitro* Assay for TIRF Microscopy.
Methods in Cell Biology, Volume 115, 2013, Pages 109-124

Lierop van PPE, Swagemakers SM, de Bie CI, Middendorp S, van Baarlen P., Samson JN, van IJcken WF, Escher JC, van der Spek PJ, Nieuwenhuis EE
Gene Expression Analysis of Peripheral Cells for Subclassification of Pediatric Inflammatory Bowel Disease in Remission
Plos One, 2013, Nov. 18; 8(11) e79549

Mirshekar-Syahkal B, Haak E, Kimber GM, van Leusen K, Harvey K, O'Rourke J, Laborda J, Bauer SR, de Bruijn MF, Ferguson-Smith AC, Dzierzak E, Ottersbach K.
DIK1 is a negative regulator of emerging hematopoietic stem and progenitor cells.
Haematologica. 2013 Feb 98(2): 163-71

McKinseyGL, Lindtner S, Trzcinski B, Visel A, Pennacchio LA, Huylebroeck D, Higashi Y, Rubenstein JL* (2013), DL1&2-dependent expression of *Zfhx1b* (*Sip1*, *Zeb2*) regulates the fate switch between cortical and striatal interneurons.
Neuron 9 januari 2013; 77, 83-98

Moshkin YM, Doyen CM, Kan TW, Chalkley GE, Sap K, Bezstarosti K, Demmers JA, Ozgur Z, van Ijcken WF, Verrijzer CP.
Histone Chaperone NAP1 Mediates Sister Chromatid Resolution by Counteracting Protein Phosphatase 2A.
Plos Genet, 2013, Sep 9(9)

Mylona A, Andrieu-Soler C, Thongjuea S, Martella A, Soler E, Jorna R, hou J, Kockx C, van Ijcken W, Lenhard B, Grosveld F.
Genome-wide analysis shows that *Ldb1* controls essential hematopoietic genes/pathways in mouse early development and reveals novel players in hematopoiesis.
Blood. 2013 Apr 11; 121(15): 2902-13

Nepal C, Hadzhiev Y, Previti C, Haberer V, Li N, Takahashi H, Suzuki AM, Sheng Y, Abdelhamid RF, Anand S, Gehrig J, Akalin A, Kockx CE, van der Sloot AA, van IJcken WF, Armant O, Rastegar S, Watson C, Strähle U, Stupka E, Carninci P, Lenhard B, Müller F.
Dynamic Regulation of the transcription initiation landscape at single nucleotide resolution during vertebrate embryogenesis.

Genome Res., 2013, Nov. 23(11): 1938-50

Nikolic T, Movita D, Lambers ME, de Almeida CR, Biesta P., Kreefft K., de Bruijn MJ, Bergen I, Galjart N., Boonstra A, Hendriks R. The DNA-binding factor Ctfc critically controls gene expression in macrophages. Cellular & Molecular Immunology (9 September 2013) Doi: 10.1038/cmi.2013.41

Ninkovic J, Steiner-Mezzadri A, Jawerka M, Akinci U, Masserdotti G, Petricca S, Fischer J, von Holst A, Beckers J, Lie CD, Petrik D, Miller E, Tang J, Wu J, Lefebvre V, Demmers J, Eisch A, Metzger D, Crabtree G, Irmeler M, Poot R, Götz M. The BAF Complex Interacts with PAX6 in Adult Neural Progenitors to Establish a Neurogenic Cross-Regulatory Transcriptional Network. Cell Stem Cell. 2013 Aug 6.

Outchkourov N.S., Muino J.M., Kaufmann K., Ijcken W.F.J. van., Groot Koerkamp M.J., Leenen, D. van, Graaf, P. de, Holstege F.C.P., Grosveld F.G., Timmers HT.M. Balancing of Histone H3K4 Methylation States by the Kdm5c/SMCX Histone Demethylase Modulates Promoter and Enhancer Function. Cell Reports 3, 1071-1079, April 25, 2013: 1071

Olivon VC, Fraga-Silva RA, Segers D, Demougeot C, de Oliveira AM, Savergnini SS, Berhelot A, de Crom MPG, Krams R, Stergiopoulos N, da Silva RF. Arginase inhibition prevents the low shear stress-induced development of vulnerable atherosclerotic plaques in ApoE^{-/-} mice. Elsevier, 2013: Atherosclerosis 227(2013);213-243

Pan W., Jin Y, Chen J, Rottier RJ, Steel KP, Kiernan AE. Ectopic expression of activated notch or SOX2 reveals similar and unique roles in the development of the sensory cell progenitors in the mammalian inner ear. J Neurosci, 2013 Oct 9; 33(41): 16146-57

De Pater E, Kaimakis P, Vink CS, Yokomizo T, Yamada-Inagawa T, van der Linden R, Kartalaei PS, Camper SA, Speck N, Dzierzak E. *Gata2* is required for HSC generation and survival. J Exp Med, 2013 Dec 2.

Papasavva T., Ijcken W.F.J. van, Kockx C.E.M., Hout, M.C.G.N. van den, Kountouris P., Kythreotis L., Kologirou E., Grosveld F.G., Kleanthous M. Next generation sequencing of SNPs for non-invasive prenatal diagnosis: challenges and feasibility as illustrated by an application to β -thalassaemia. European Journal of Human Genetics (2013), 1-8

Philipsen S. A new twist to the GATA switch Inside Blood, 14 november 2013, Volume 122, Number 20, 3391-3450

Pourfarzad F, von Lindern M, Azarkeivan A, Hou J, Kia SK, Esteghamat F, van Ijcken W, Philipsen S, Najmabadi H, Grosveld F. Hydroxyurea responsiveness in β -thalassemic patients is determined by the stress response adaptation of erythroid progenitors and their differentiation propensity. Haematologica. 2013 Mar;98(5): 696-704

Pourfarzad F, Aghajani-refah A, De Boer E, Ten have S, Van Dijk TB, Kheradmandkia S., Stadhouders R., Thongjuea S, Soler E, Gillemans N., Von Lindern M, Demmers J., Philipsen J, Grosveld F. Locus-Specific Proteomics by TChP: Targeted Chromatin Purification. Cell Reports 4, 2013, August 15; p. 589-600

Pradier B, Jeub M, Markert A, Mauer D, Tolksdorf K, Van de Putte T, Seuntjes E, Gailus-Durner V, Fuchs H, Hrabe de Angelis M, Huylebroeck D, Beck H, Simmer A, Racz I. Smad-interacting protein 1 affects acute and tonic, but not chronic pain. Eur J Pain, 2013. Jul 17

Price FD, Yin H, Jones A, van Ijcken W, Grosveld F, Rudnicki MA

Canonical Wnt Signaling Induces a Primitive Endoderm Metastable State in Mouse Embryonic Stem Cells.
Stem Cells. 2013 Apr. 31(4): 752-64

Raghoebir L., Biermann K., Buscop-van Kempen M., Wijnen R.M., Tibboel D., Smits R., Rottier R.J.
Disturbed balance between SOX2 and CDX2 in human vitelline duct anomalies and intestinal duplications.
Springer, Virchows Arch (2013) 462: 515-522

Riepsaame J, van Oudenaren A, den Broeder BJ, Van Ijcken WF, Pothof J, Leenen PJ
MicroRNA-mediated Down-Regulation of M-CSF Receptor Contributes to Maturation of Mouse Monocyte-Derived Dendritic Cells.
Frontiers in Immunology, 2013, Oct. 30; 4:353

Ruiz-Saenz A, Haren van, J., Sayas CL, Rangel L, Demmers J, Millán J, Alonso MA, Galjart N., Correas I.
Protein 4.1R binds to CLASP2 and regulates dynamics, organization and attachment of microtubules to the cell cortex.
Journal of Cell Science : August 13, 2013;p.4589-4601

Sluiter I., Horst I. van der., Voorn P. van der., Boerema-de Munck A., Buscop-van Kempen M., Krijger R de, Tibboel D., Reiss I., Rottier R.J.
Premature differentiation of vascular smooth muscle cells in human congenital diaphragmatic hernia.
Experimental and Molecular Pathology 94 (2013) 195-202

Stadhouders R, Kolovos P, Brouwer R, Zuin J, van den Heuvel A, Kockx C, Palstra RJ, Wendt KS, Grosveld FG, van IJcken W, Soler E.
Multiplexed chromosome conformation capture sequencing for rapid genome-scale high-resolution detection of long-range chromatin interactions.
Nature Protocols: 2013 Mar;8(3): 509-24

Sybesma W, Molenaar D, van IJcken W, Venema K, Kort R.
Genome instability in *Lactobacillus rhamnosus* GG.
Appl Environ Microbiol. 2013 Apr; 79(7):2233-9

Tafrafi C, Paizi A, Borg J, Radmilovic M, Bartsakoulia M, Giannopoulou E, Giannakopoulou O, Stojiljkovic-Petrovic M, Zukic B, Poulas K, Stavrou EF, Lambropoulou P, Kourakli A, Felice AE, Papachatzopoulou A, Philipsen J, Pavlovic S, Georgitsi M, Patrinos GP.
Genomic variation in the *MAP3K5* gene is associated with β -thalassemia disease severity and hydroxyurea treatment efficacy.
Pharmacogenomics (2013) 14(5), p.469-483

Thongjuea S., Stadhouders R., Grosveld F.G., Soler E., and Lenhard B.
R3Cseq: an R/Bioconductor package for the discovery of long-range genomic interactions from chromosome conformation capture and next-generation sequencing data.
Nucleic Acids Research, 2013, Vol. 41, No. 13 e132

Tortosa E, Galjart N., Avila J, Sayas CL.
MAP1B regulates microtubule dynamics by sequestering EB1/3 in the cytosol of developing neuronal cells.
The EMBO Journal, 2013, 32, No. 9; pages 1293-1306

Uittenboogaard LM, Payan-Gomez C, Pothof J. van Ijcken W, Mastroberardino PG, van der Pluijm I, Hoeijmakers JH, Tresini M.
BACH2: A marker of DNA damage and ageing.
DNA-Repair (Amst)2013; 12(11):982-92

Van den Berghe V, Stappers E, Vandesande B, Demidschstein J, Kores R, Francis A, Conidi A, Lesage F, Cazzola S, Berx G, Kessaris N, Vanderhaeghen P, Ijcken W van, Grosveld FG, Goossens S, Haigh JJ, Fishell G, Goffinet A, Arts S, Huylebroeck D, Seuntjens E.
Directed Migration of Cortical Interneurons Depends on the Cell-Autonomous Action of Sip 1
Neuron, January 9, 2013; 77, 70-82

Van Haperen M, van Gent T, van Tol A, de Crom MPG
Elevated expression of PLTP is atherogenic in apolipoprotein E deficient mice.
Elsevier: Atherosclerosis (2013) 37-42

Van Spronsen M, van Battum EY, Kuijpers M, Vangoor VR, Rietman ML, Pothof J, Gumy LF, van IJcken WF, Akhmanova A, Pasterkamp RJ, Hoogenraad CC
Developmental and Activity-Dependent miRNA Expression Profiling in Primary Hippocampal Neuron Cultures.
Plos One, 2013, Oct., 3;8(10)

Wit de E, Bouwman BA, Zhu Y, Klous P, Splinter E, Verstegen MJ, Krijger PH, Festuccia N, Nora EP, Welling M, Heard E, Geijzen N, Poot RA, Chambers I, de Laat W.
The pluripotent genome in three dimensions is shaped around pluripotency factors.
Nature, 2013, Sep. 12; 501(7466): 227-31

Yin H, Pasut A, Soleimani VD, Bentzinger CF, Antoun G, Thorn S, Seale P, Fernando P, van Ijcken W, Grosveld F, Dekemp RA, Boushel R, Harper ME, Rudnicki MA.
MicroRNA-133 Controls Brown Adipose Determination in Skeletal Muscle Satellite Cells by Targeting Prdm16.
Cell metab. 2013 Feb 5;17(2): 210-24