

Trials

Study-summary

Ongoing and planned studies

***NB: all detailed protocol information can be found at :
Protocolnet of the Erasmus MC, www.hovon.nl or by the research hematology (010-7034546)
at the Erasmus MC.***

ALL			
Hovon 117 Dr. A. Rijneveld	≥ 60 (ALL)	An observational study for older adults with Acute Lymphoblastic Leukaemia	On hold
AML			
AMGEN AMG330-20120252 Dr. M. Jongen-Lavrencic	≥ 18 years	A Phase 1 First-in-human Study Evaluating the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics and Efficacy of AMG 330 Administered as Continuous Intravenous Infusion in Subjects With elapsed/Refractory Acute Myeloid Leukemia	open
Agios AG120-221-C-001 Prof. B. Lowenberg	≥ 18 years	A Phase 1, Multicenter, Open-Label, Safety Study of AG-120 or AG-221 in Combination with Induction Therapy and Consolidation Therapy in Patients with Newly Diagnosed Acute Myeloid Leukemia with an IDH1 and/or IDH2 Mutation	open
Celgene AG-221-AML-005 Dr. M. Jongen	≥ 18 years	A Phase 1b/2 Open-Label, Randomized Study of 2 Combinations of Isocitrate Dehydrogenase (IDH) Mutant Targeted Therapies Plus Azacitidine: Oral AG-120 Plus Subcutaneous Azacitidine and Oral AG-221 Plus SC Azacitidine in Subjects With Newly Diagnosed Acute Myeloid Leukemia Harboring an IDH1 or an IDH2 Mutation, Respectively, Who Are Not Candidates to Receive Intensive Induction Chemotherapy	open
Macrogenics CP-MGD006-01 Prof. B. Lowenberg	≥ 18 years	A Phase 1, First-in-Human, Dose Escalation Study of MGD006, a CD123 x CD3 Dual Affinity Re-Targeting (DART) Bi-Specific Antibody-Based Molecule, in Patients with Relapsed or Refractory Acute Myeloid Leukemia or Intermediate- 2/High Risk Myelodysplastic Syndrome	planned
Merus MCLA-117-CL01 Dr. M. Jongen-Lavrencic	≥ 18 years	A Phase 1, Multinational Study of MCLA-117 in Acute Myelogenous Leukemia	open
Novartis CIDH305X2101 Dr. M. Jongen-Lavrencic	≥ 18 years	A Phase I study of IDH305 in patients with advanced malignancies that harbor IDH1R132 mutations	open

Hovon 135 <i>Dr. M. Jongen-Lavrencic</i>	≥ 66 years.	<i>A randomized phase II multicenter study to assess the tolerability and efficacy of the addition of ibrutinib to 10-day decitabine in UNFIT (i.e. HCT-CI ≥ 3) AML and high risk myelodysplasia (MDS) (IPSS-R > 4.5) patients</i>	<i>open</i>
Hovon 138 <i>Dr. M. Jongen-Lavrencic</i>	≥18 and ≤ 65	<i>A randomized Phase III study to compare arsenic trioxide (ATO) combined to ATRA and idarubicin versus standard ATRA and anthracycline-based chemotherapy (AIDA regimen) for patients with newly diagnosed, high-risk acute promyelocytic leukemia (APOLLO)</i>	<i>planned</i>
Hovon 103 Arm D Selinexor <i>Dr. M. Jongen-Lavrencic</i>	≥ 66 yrs and very poor risk AML ≥ 18 yrs	<i>Masterprotocol HOVON 103: A program of randomized phase II multicenter studies to assess the tolerability and efficacy of the addition of new drugs to standard induction chemotherapy in AML and RAEB</i>	<i>open</i>
MDS			
Hovon 135 <i>Dr. M. Jongen-Lavrencic</i>	≥ 66 years.	<i>A randomized phase II multicenter study to assess the tolerability and efficacy of the addition of ibrutinib to 10-day decitabine in UNFIT (i.e. HCT-CI ≥ 3) AML and high risk myelodysplasia (MDS) (IPSS-R > 4.5) patients</i>	<i>open</i>
Janssen Research & Development, LLC 56022473MDS2002 <i>Dr. M. Raaijmakers</i>	≥ 18 years	<i>A Phase 2 Proof-of-Concept Study to Separately Evaluate the Activity of Talacotuzumab (JNJ-56022473) or Daratumumab in Transfusion-Dependent Subjects with Low or Intermediate-1 Risk Myelodysplastic Syndromes (MDS) who are Relapsed or Refractory to Erythropoiesis-Stimulating Agent (ESA) Treatment</i>	<i>open</i>
CML			
Amyloidose			
MM			
Celgene CC-220-MM-001	≥ 18 years	<i>A Phase 1b/2a Multicenter, Open-label, Dose-escalation Study to Determine the Maximum Tolerated Dose, Assess the Safety and Tolerability, Pharmacokinetics and</i>	<i>open</i>

Prof. Dr. P. Sonneveld		<i>Preliminary Efficacy of CC-220 Monotherapy and in Combination with Dexamethasone in Subjects with Relapsed and Refractory Multiple Myeloma</i>	
Celgene MEDI4736-MM-001 Prof. Dr. P. Sonneveld	≥ 18 years	<i>Een fase 1B studie bij patiënten met Multipel Myeloom (waarbij de ziekte is teruggekeerd na behandeling of niet heeft gereageerd op behandeling) die worden behandeld met Durvalumb (MEDI4736) alleen of in combinatie met Pomalidomide met of zonder lage dosis dexamethason.</i>	<i>On hold</i>
Celgene MEDI4736-MM-002 Prof. Dr. P. Sonneveld	≥ 18 years	<i>A Phase 1/2, multicenter, open-label study to determine the recommended dose and regimen of durvalumab (MEDI4736) in combination with lenalidomide (LEN) with and without dexamethasone (dex) in subjects with newly diagnosed multiple myeloma (NDMM).</i>	<i>On hold</i>
Dara/Atra Dr. A. Broyl/Prof. Dr. P. Sonneveld	≥ 18 years	<i>A phase 1 and phase 2 study of daratumumab in combination with all-trans retinoic acid in relapsed/refractory multiple myeloma</i>	<i>open</i>
NIVO/DARA Prof. Dr. P. Sonneveld	≥ 18 years	<i>A phase 2 study of nivolumab combined with daratumumab with or without lenalidomide-dexamethasone in relapsed/refractory multiple myeloma</i>	<i>planned</i>
Oncopeptides OP-103 OCEAN (MM) Prof. Dr. P. Sonneveld	≥ 18 years	<i>A Randomized, Controlled, Open-Label, Phase 3 Study of Melflufen/Dexamethasone Compared with pomalidomide/ Dexamethasone for Patients with Relapsed Refractory Multiple Myeloma who are Refractory to Lenalidomide</i>	<i>planned</i>
Hovon 114 Prof. Dr. P. Sonneveld	≥ 18 years	<i>Pomalidomide combined with Carfilzomib and Dexamethasone (PCd) for induction and consolidation followed by Pomalidomide combined with examethason vs omalidomide maintenance for patients with Multiple Myeloma in first relapse after prior 1st line treatment with Lenalidomide and Bortezomib</i>	<i>open</i>
Hovon 129 Dr. A. Broyl	≥ 18 years	<i>Carfilzomib and lenalidomide-based treatment for younger and elderly newly diagnosed primary plasma cell leukemia patients</i>	<i>open</i>

Hovon 143 Prof. Dr. P. Sonneveld	≥ 18 years	<i>Efficacy and tolerability of ixazomib, daratumumab and low dose dexamethasone (IDd) followed by ixazomib and daratumumab maintenance therapy until progression for a maximum of 2 years in unfit and frail newly diagnosed multiple myeloma patients; an open-label phase II trial</i>	<i>planned</i>
CLL			
Acerta Pharma ACE-CL-006 Dr. J. K. Doorduijn	≥ 18 years	<i>A Randomized, Multicenter, Open-Label, Non-Inferiority, Phase 3 Study of ACP-196 Versus Ibrutinib in Previously Treated Subjects with High Risk Chronic Lymphocytic Leukemia</i>	<i>open</i>
Celgene MEDI4736-NHL-001 Dr. P. Lugtenburg	≥18- ≤ 80 years and > 80 yrs	<i>A Phase 1/2, open label, multicenter study to assess the safety and tolerability of durvalumab (anti-PD-L1 antibody) as monotherapy and in combination therapy in subjects with lymphoma or chronic lymphocytic leukemia (MEDI4736-NHL-001)</i>	<i>open</i>
Hovon 141 Dr. J.K. Doorduijn	≥ 18 years	<i>A prospective, multicenter, phase-II trial of ibrutinib plus venetoclax in patients with creatinine clearance ≥ 30 ml/min who have relapsed or refractory chronic lymphocytic leukemia (RR-CLL) with or without TP53 aberrations</i>	<i>planned</i>
NHL			
Celgene CC-122-NHL-001 Dr. J.K. Doorduijn	≥ 18 years	<i>A phase 1B open label study to evaluate the safety and efficacy of CC-122 in combination with Obinutuzumab ((GA101) in subjects with relapsed/refractory diffuse large B-CELL lymphoma and indolent NHL</i>	<i>open</i>
Celgene MEDI4736-NHL-001 Dr. P.J. Lugtenburg	≥ 18 years and ≤ 80 years	<i>A Phase 1/2, open label, multicenter study to assess the safety and tolerability of durvalumab (anti-PD-L1 antibody) as monotherapy and in combination therapy in subjects with lymphoma or chronic lymphocytic leukemia (MEDI4736-NHL-001)</i>	<i>open</i>
IELSG 42 Dr. J.K. Doorduijn	18-70 years	<i>An international phase II trial assessing tolerability and efficacy of sequential Methotrexate-Aracytin-based combination and R-ICE combination, followed by high-dose chemotherapy supported by autologous stem cell transplant, in patients with systemic B-cell lymphoma with central nervous system involvement at</i>	<i>open</i>

		<i>diagnosis or relapse (MARIETTA regimen)</i>	
KTE-C19-101-NHL ZUMA-1 Dr. P.J. Lugtenburg	≥ 18 years	<i>A Phase 1/2 Multi-Center Study Evaluating the Safety and Efficacy of KTE-C19 in Subjects with Refractory Aggressive Non-Hodgkin Lymphoma (NHL) (ZUMA-1)</i>	<i>planned</i>
KTE-C19-102-MCL ZUMA-2 Dr. P.J. Lugtenburg	≥ 18 years	<i>A Phase 2 Multicenter Study Evaluating the Efficacy of KTE-C19 in Subjects with Relapsed/Refractory Mantle Cell Lymphoma (r/r MCL) (ZUMA-2)</i>	<i>planned</i>
KTE-C19-103 (r/r ALL) (ZUMA-3) Dr. P.J. Lugtenburg	≥ 18 years	<i>A Phase 1/2 Multi-Center Study Evaluating the Safety and Efficacy of KTE-C19 in Adult Subjects with Relapsed/Refractory B-precursor Acute Lymphoblastic Leukemia (r/r ALL) (ZUMA-3)</i>	<i>planned</i>
Millenium Arroven Dr.P.Lugtenburg	≥ 18 years	<i>Post-Authorisation Safety Study (PASS) MA25101: An Observational Cohort Study of the Safety of Brentuximab Vedotin in the Treatment of Relapsed or Refractory CD30+ Hodgkin Lymphoma and Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma</i>	<i>open</i>
Pfizer B991011 Javelin (DLBDL) Dr.P.Lugtenburg	≥ 18 years	<i>multi-center, international, randomized, open-label, 2-component (Phase 1b followed by Phase 3), parallel-arm study of avelumab in combination with various agents for the treatment of Relapsed/Refractory (R/R) Diffuse Large B-Cell Lymphoma (DLBCL). Agents that will be tested include:</i>	<i>planned</i>
Hovon 110 Dr. J.K. Doorduijn		<i>Lenalidomide and rituximab with or without bendamustine in patients ≥ 18 years with relapsed follicular lymphoma</i>	<i>open</i>
Hovon 119 Dr. J.K. Doorduijn	≥ 18 years	<i>Efficacy of alternating immunochemotherapy consisting of R-CHOP + RHAD versus R-CHOP alone, followed by maintenance therapy consisting of additional lenalidomide with rituximab versus rituximab alone for older patients with mantle cell lymphoma</i>	<i>open</i>

Hovon 124 Dr. J.K. Doorduijn	≥ 18 years	A prospective phase I/II trial of the combination of ixazomib citrate, rituximab and dexamethasone in patients with relapsed or progressive Waldenström's macroglobulinemia A HOVON/Greek Myeloma Study Group study	open
Hovon 127 Dr. P.J. Lugtenburg	18-75 years	Randomized phase II study comparing R-CODOX-M/R-IVAC versus dose-adjusted EPOCH-R (DA-EPOCH-R) for patients with newly diagnosed high risk Burkitt lymphoma	open
Hovon 130/HO900 Dr. P.J. Lugtenburg	≥ 18 year	A phase II study evaluating the effect of the addition of lenalidomide to R-CHOP for patients with newly diagnosed MYC positive DLBCL and BCL-U.	open
Hovon 133 Dr. J.K. Doorduijn	≥ 18 years and ≤ 65 years	TRIANGLE: autologous Transplantation after a Rituximab/Ibrutinib/Ara-c containing induction in Generalized mantle cell Lymphoma – a randomized European MCL Network trial	planned
Hovon 136 Dr. P.J. Lugtenburg	≥ 18 year	Phase I-II study combining Brentuximab Vedotin with second line salvage chemotherapy (R-DHAP) in CD30 positive diffuse large B-cell lymphoma patients refractory to first line chemotherapy or in first relapse who are eligible for high dose treatment followed by autologous stem cell transplantation	planned
HO900 Dr. P.J. Lugtenburg	≥ 18 year	DLBCL: A national MYC screening study in relation to the HOVON 130 protocol	open
Hodgkin			
Millenium Arroven Dr.P.Lugtenburg	≥ 18 years	Post-Authorisation Safety Study (PASS) MA25101: An Observational Cohort Study of the Safety of Brentuximab Vedotin in the Treatment of Relapsed or Refractory CD30+ Hodgkin Lymphoma and Relapsed or Refractory Systemic Anaplastic Large Cell Lymphoma	open
Transplantaties			
Cord Blood Expansion (SR-1) Prof dr. J. Cornelissen	≥ 18 years	Umbilical cord blood transplantation in high-risk hematological patients using stemregenin-1 expanded hematopoietic stem cells. A feasibility study focussing on engraftment and hematopoietic recovery.	open

Hovon 96 <i>Dr.A.E.C.Broers</i>	18-65 years	<i>Prevention and treatment of severe GVHD after allogeneic hematopoietic SCT, applied as consolidation immunotherapy in patients with hematological malignancies. Randomized Phase III</i>	<i>open</i>
Hovon 113 <i>Prof J.J. Cornelissen</i>		<i>Treatment of severe steroid-refractory acute GvHD with mesenchymal stromal cells. A phase III randomized double-blind multi-center HOVON study.</i>	<i>open</i>
Gilead GS-US-218-0108 <i>Dr.A.E.C.Broers</i>	18-75 years	<i>A Phase 2b, Randomized, Double-Blind, Placebo-Controlled Multi-Center Study Evaluating Antiviral Effects, Pharmacokinetics, Safety, and Tolerability of GS-5806 in Hematopoietic Cell Transplant (HCT) Recipients with Respiratory Syncytial Virus (RSV) Infection of the Upper Respiratory Tract</i>	<i>open</i>
MPN			
Novartis CINC424A2201/Expand <i>Dr.P.A.W.te Boekhorst</i>	≥ 18 years	<i>PMF/PPV-MF/PET-MFwith platelets between 50 and 100 x10e9/LJAK inh INC424</i>	<i>on hold</i>
HOVON 134 <i>Dr.P.A.W.te Boekhorst</i>		<i>A phase II trial in patients with myelofibrosis (primary, post-ET or post PV-MF) treated with the selective JAK2 inhibitor Pacritinib before reduced-intensity conditioning allogeneic stem cell transplantation</i>	<i>open</i>
Stolling			
Novo Nordisk NN7088-3859 (Pathfinder 2) <i>Prof. Dr. F. Leebeek</i>	≥ 18 years	<i>Heamophilia A in surgery NNC01290000-1003</i>	<i>open</i>
Novo Nordisk NN7088-3860 (Pathfinder 3) <i>Prof. Dr. F. Leebeek</i>	≥ 18 years	<i>Heamophilia A in surgery NNC01290000-1003</i>	<i>open</i>
DAVID study <i>Dr MJHA Kruip</i>	≥ 12 years	<i>DDAVP treatment combined with FVIII clotting factor concentrates</i>	<i>open</i>

		<i>in patients with mild hemophilia A; DAVID study</i>	
Little DAVID <i>Dr MJHA Kruip</i>	≥ 12 years	<i>DDAVP and FVIII concentrate combination treatment in non-severe haemophilia A patients undergoing minor surgical interventions (DAVID studies)</i>	<i>planned</i>
Crescendo study <i>Dr MJHA Kruip</i>	≥ 12 years	<i>The Clinical Relevance and Significance of New Diagnostic Options in patients with unexplained bleeding</i> <i>The CRESCENDO – study</i>	<i>planned</i>
Highlow <i>Dr MJHA Kruip</i>	≥ 18 years	<i>Highlow study</i> <i>Low-molecular-weight heparin to prevent recurrent VTE in pregnancy: a randomized controlled trial of two doses</i>	<i>open</i>
Sickle cell disease			
GBT440-031 <i>Dr. A. Rijneveld</i>	≥ 18 years	<i>A Phase 3, Double-blind, Randomized, Placebo-controlled, Multicenter Study of GBT440 Administered Orally to Patients With Sickle Cell Disease</i>	<i>planned</i>