

## Publicaties related to OIC 2011-2013 (dec 2013)

1. Agarwal S, van Cappellen WA, Guérolé A, Eppink B, Linsen SE, Meijering E, Houtsmuller A, Kanaar R, Essers J. ATP-dependent and independent functions of Rad54 in genome maintenance. *J Cell Biol.* 2011 192:735-50.
2. Alves, R.D.A.M., et al., Unraveling the human bone microenvironment beyond the classical extracellular matrix proteins: A human bone protein library. *Journal of Proteome Research*, 2011. 10: 4725-4733.
3. Bekkali, N., et al., The role of rectal chloride secretion in childhood constipation. *Neurogastroenterology and Motility Online*, 2011. 23: 1007-1012.
4. Berg, I. M. v. d., C. Eleveld, M. v. d. Hoeven, E. Birnie, R. P. M. Steegers-Theunissen, R. J. H. Galjaard, J. S. E. Laven and J. H. v. Doorninck (2011). "Defective deacetylation of histone 4 K12 in human oocytes is associated with advanced maternal age and chromosome misalignment." *Human Reproduction* 26(5): 1181-1190.
5. Bergink, S., W. Toussaint, M. S. Luijsterburg, C. Dinant, S. Alekseev, J. H. Hoeijmakers, N. P. Dantuma, A. B. Houtsmuller and W. Vermeulen Recognition of DNA damage by XPC coincides with disruption of the XPC-RAD23 complex. *J Cell Biol* 2012 196: 681-688
6. Bochove, G.S.v., et al., Contrast enhancement by differently sized paramagnetic MRI contrast agents in mice with two phenotypes of atherosclerotic plaque. *Contrast Media & Molecular Imaging*, 2011. 6: 35-45.
7. Boisset, J. C., C. Andrieu-Soler, W. A. van Cappellen, T. Clapes and C. Robin (2011). Ex vivo time-lapse confocal imaging of the mouse embryo aorta. *Nat Protoc* 6 1792-1805.
8. Borgesius NZ, de Waard MC, van der Pluijm I, Omrani A, Zondag GC, van der Horst GT, Melton DW, Hoeijmakers JH, Jaarsma D, Elgersma Y. Accelerated age-related cognitive decline and neurodegeneration, caused by deficient DNA repair. *J Neurosci.* 2011 3112543-53.
9. Borgesius NZ, van Woerden GM, Buitendijk GH, Keijzer N, Jaarsma D, Hoogenraad CC, Elgersma Y.  $\beta$ CaMKII plays a nonenzymatic role in hippocampal synaptic plasticity and learning by targeting  $\alpha$ CaMKII to synapses. *J Neurosci.* 2011 31 10141-8.
10. Broekhuis, J.R., Rademakers, S., Burghoorn, J. & Jansen, G. (2013) SQL-1, homologue of the Golgi protein GMAP210, modulates Intraflagellar Transport in *C. elegans*. *J. Cell Sci.* 126, 1785-1795.
11. Buey, R. M., R. Mohan, K. Leslie, T. Walzthoeni, J. H. Missimer, A. Menzel, S. BjeliÅž, K. Bargsten, I. Grigoriev, I. Smal, E. Meijering, R. Aebersold, A. Akhmanova and M. O. Steinmetz (2011). Insights into EB1 structure and the role of its c-terminal domain for discriminating microtubule tips from the lattice. *Molecular Biology of the Cell* 22: 2912-2923.
12. Bunck C., W. Oostdijk, H. T. Bruggenwirth and A. O. Brinkmann (2013). Variable loss of functional activities of androgen receptor mutants in patients with androgen insensitivity syndrome. *Sex Dev* 7(5): 223-234.
13. Campalans A, Kortulewski T, Amouroux R, Menoni H, Vermeulen W, Radicella JP. Distinct spatiotemporal patterns and PARP dependence of XRCC1 recruitment to single-strand break and base excision repair. *Nucleic Acids Res.* 2013 41:3115-29.
14. Carofiglio, F., A. Inagaki, S. de Vries, E. Wassenaar, S. Schoenmakers, C. Vermeulen, W. A. van Cappellen, E. Sleddens-Linkels, J. A. Grootegoed, H. P. Te Riele, B. de Massy and W. M. Baarends (2013). SPO11-independent DNA repair foci and their role in meiotic silencing. *PLoS Genet* 9
15. Casanova, M., et al., Polycomblike 2 facilitates the recruitment of PRC2 Polycomb group complexes to the inactive X chromosome and to target loci in embryonic stem cells. *Development*, 2011. 138 1471-1482.
16. Chen, M.J., et al., Erythroid/myeloid progenitors and hematopoietic stem cells originate from distinct populations of endothelial cells. *Cell Stem Cell*, 2011. 9 541-552.
17. Cheng C, Haasdijk R, Tempel D, van de Kamp EH, Herpers R, Bos F, Den Dekker WK, Blonden LA, de Jong R, Bürgisser PE, Chrifi I, Biessen EA, Dimmeler S, Schulte-Merker S, Duckers HJ. Endothelial cell-specific FGD5 involvement in vascular pruning defines neovessel fate in mice. *Circulation.* 2012 125 3142-58.
18. Cheng C, Haasdijk RA, Tempel D, den Dekker WK, Chrifi I, Blonden LA, van de Kamp EH, de Boer M, Bürgisser PE, Noorderloos A, Rens JA, ten Hagen TL, Duckers HJ. PDGF-induced migration of vascular smooth muscle cells is inhibited by hemeoxygenase-1 via VEGFR2 upregulation and subsequent assembly of inactive VEGFR2/PDGFR $\beta$  heterodimers. *Arterioscler Thromb Vasc Biol.* 2012 32 1289-98.
19. Cheng C, Tempel D, Den Dekker WK, Haasdijk R, Chrifi I, Bos FL, Wagtmans K, van de Kamp EH, Blonden L, Biessen EA, Moll F, Pasterkamp G, Serruys PW, Schulte-Merker S, Duckers HJ. Ets2 determines the inflammatory state of endothelial cells in advanced atherosclerotic lesions. *Circ Res.* 2011 109 382-95.
20. Corput MP van de, de Boer E, Knoch TA, van Cappellen WA, Quintanilla A, Ferrand L, Grosveld FG. Super-resolution imaging reveals three-dimensional folding dynamics of the  $\beta$ -globin locus upon gene activation. *J Cell Sci.* 2012 125:4630-9.
21. Dekker WK den, Tempel D, Bot I, Biessen EA, Joosten LA, Netea MG, van der Meer JW, Cheng C, Duckers HJ. Mast cells induce vascular smooth muscle cell apoptosis via a toll-like receptor 4 activation pathway. *Arterioscler Thromb Vasc Biol.* 2012 32 1960-9
22. Deuring J.J., C. de Haar, C.L. Koelewijn, E.J. Kuipers, M.P. Peppelenbosch, and C.J. van der Woude. Absence of abcg2-mediated mucosal detoxification in patients with active inflammatory bowel disease is due to impeded protein folding. *Biochemical Journal*, 441(1):87-93, 2012
23. Deuring, J., et al., Absence of ABCG2-mediated mucosal detoxification in patients with active inflammatory bowel disease is due to impeded protein folding. *Biochemical Journal*, 2012. 441 87-93.
24. Dicheva BM, ten Hagen TL, Li L, Schipper D, Seynhaeve AL, van Rhooon GC, Eggermont AM, Lindner LH, Koning GA. Cationic thermosensitive liposomes: a novel dual targeted heat-triggered drug delivery approach for endothelial and tumor cells. *Nano Lett.* 2013 13 2324-31.
25. Dinant C, Ampatzidis-Michaïlidis G, Lans H, Tresini M, Lagarou A, Grosbart M, Theil AF, van Cappellen WA, Kimura H, Bartek J, Foustieri M, Houtsmuller AB, Vermeulen W, Marteijn JA. Enhanced chromatin dynamics by FACT promotes transcriptional restart after UV-induced DNA damage. *Molecular Cell.* 2013 51 469-79.
26. Djanashvili K, ten Hagen TL, Blangé R, Schipper D, Peters JA, Koning GA. Development of a liposomal delivery system for temperature-triggered release of a tumor targeting agent, Ln(III)-DOTA-phenylboronate. *Bioorg Med Chem.* 2011 Feb 1;19(3):1123-30.
27. Domingues, I., et al., VEGFR2 translocates to the nucleus to regulate its own transcription. *PLoS ONE*, 2011. 6(9).
28. Drabek, K., Gutierrez, L., Vermeij, M., Clapes, T., Patel, S.R., Boisset, J.C., van Haren, J., Pereira, A.L., Liu, Z., Akinci, U., Nikolic, T., van Ijcken, W., van den Hout, M., Meinders, M., Melo, C., Sambade, C., Drabek, D., Hendriks,

- R.W., Philipsen, S., Mommaas, M., Grosveld, F., Maiato, H., Italiano, J.E., Jr., Robin, C., and Galjart, N. The microtubule plus-end tracking protein CLASP2 is required for hematopoiesis and hematopoietic stem cell maintenance. *Cell Rep* 2012 2, 781-788.
29. E. Meijering, O.M. Dzyubachyk, and I. Smal. Methods for cell and particle tracking. *Methods in Enzymology*, 504:183-200, 2012.
  30. Egorova, A.D., et al., Tgf $\beta$ /Alk5 signaling is required for shear stress induced klf2 expression in embryonic endothelial cells. *Developmental Dynamics*, 2011 240 1670-1680.
  31. Ellferich, P., M. E. van Royen, D. J. van de Wijngaart, J. Trapman, S. L. Drop, E. L. van den Akker, S. J. Lusher, R. Bosch, T. Bunch, I. A. Hughes, A. B. Houtsmuller, M. Cools, S. M. Faradz, P. H. Bisschop, M. Bunck MC, Oostdijk W, Brüggerwirth HT, Brinkmann AO. Variable loss of functional activities of androgen receptor mutants in patients with androgen insensitivity syndrome. *Sex Dev.* 2013 7 223-34.
  32. Engelen, E., R. C. Janssens, K. Yagita, V. A. Smits, G. T. van der Horst and F. Tamanini . Mammalian TIMELESS is involved in period determination and DNA damage-dependent phase advancing of the circadian clock. *PLoS One* 2013 8
  33. Eppink, B., et al., The response of mammalian cells to UV-light reveals Rad54-dependent and independent pathways of homologous recombination. *DNA Repair*, 2011. 10 1095-1105.
  34. Esposito, F., et al., Down-regulation of oestrogen receptor- $\beta$  associates with transcriptional co-regulator PATZ1 delocalization in human testicular seminomas. *Journal of Pathology*, 2011. 224 110-120.
  35. Galliano E, Baratella M, Sgritta M, Ruigrok TJ, Haasdijk ED, Hoebeek FE, D'Angelo E, Jaarsma D, De Zeeuw CI. Anatomical investigation of potential contacts between climbing fibers and cerebellar Golgi cells in the mouse. *Front Neural Circuits*. 2013;7:59.
  36. Ghamari, A., M. P. van de Corput, S. Thongjuea, W. A. van Cappellen, W. van Ijcken, J. van Haren, E. Soler, D. Eick, B. Lenhard and F. G. Grosveld In vivo live imaging of RNA polymerase II transcription factories in primary cells. *Genes Dev* (2013). 27 767-777.
  37. Graaf, W. de, S. Hausler, M. Heger, T. M. van Ginhoven, G. van Cappellen, R. J. Bennink, G. A. Kullak-Ublick, R. Hesselmann, T. M. van Gulik and B. Stieger (2011). Transporters involved in the hepatic uptake of (99m)Tc-mebrofenin and indocyanine green. *J Hepatol* 54(4): 738-745.
  38. Grigoriev, I., et al., Rab6, Rab8, and MICAL3 cooperate in controlling docking and fusion of exocytotic carriers. *Current Biology*, 2011. 21(11): p. 967-974.
  39. Guenoun J, Ruggiero A, Doeswijk G, Janssens RC, Koning GA, Kotek G, Krestin GP, Bernsen MR. In vivo quantitative assessment of cell viability of gadolinium or iron-labeled cells using MRI and bioluminescence imaging. *Contrast Media Mol Imaging*. 2013 Mar-Apr;8(2):165-74.
  40. Gül N, Babes L, Siegmund K, Korhouwer RM, Bögels M, Braster R, Vidarsson G, ten Hagen TL, Kubes P, van Egmond M. Antibody-dependent phagocytosis by macrophages is a main effector mechanism to prevent development of liver metastases. *Journal of Clinical Investigation*. Accepted for publication
  41. Haar, W. M. ter, M. A. Meester-Smoor, K. H. van Wely, C. C. Schot, M. J. Janssen, B. Geverts, J. Bonten, G. C. Grosveld, A. B. Houtsmuller and E. C. Zwarthoff (2012). The leukemia-associated fusion protein MN1-TEL blocks TEL-specific recognition sequences. *PLoS One* 7(9): e46085.
  42. Hernanda PY, Pedroza-Gonzalez A, van der Laan LJ, Bröker ME, Hoogduijn MJ, Ijzermans JN, Bruno MJ, Janssen HL, Peppelenbosch MP, Pan Q. Tumor promotion through the mesenchymal stem cell compartment in human hepatocellular carcinoma. *Carcinogenesis* In press (Q1, IF 5.7)
  43. Hollink IH, van den Heuvel-Eibrink MM, Arentsen-Peters ST, Pratcorona M, Abbas S, Kuipers JE, van Galen JF, Beverloo HB, Sonneveld E, Kaspers GJ, Trka J, Baruchel A, Zimmermann M, Creutzig U, Reinhardt D, Pieters R, Valk PJ, Zwaan CM. NUP98/NSD1 characterizes a novel poor prognostic group in acute myeloid leukemia with a distinct HOX gene expression pattern. *Blood*. 2011 Sep 29;118(13):3645-56. PMID: 21813447
  44. Holthausen, J.T., et al., Effect of the BRCA2 CTRD domain on RAD51 filaments analyzed by an ensemble of single molecule techniques. *Nucleic Acids Research*, 2011. 39(15): p. 6558-6567.
  45. Horowitz, M. P., C. Milanese, R. Di Maio, X. Hu, L. M. Montero, L. H. Sanders, V. Tapias, S. Sepe, W. A. van Cappellen, E. A. Burton, J. T. Greenamyre and P. G. Mastroberardino (2011). Single-cell redox imaging demonstrates a distinctive response of dopaminergic neurons to oxidative insults. *Antioxid Redox Signal* 15(4): 855-871.
  46. Hossaini M, Cardona Cano S, van Dis V, Haasdijk ED, Hoogenraad CC, Holstege JC, Jaarsma D. Spinal inhibitory interneuron pathology follows motor neuron degeneration independent of glial mutant superoxide dismutase 1 expression in SOD1-ALS mice. *J Neuropathol Exp Neurol*. 2011 Aug;70(8):662-77. doi: 10.1097/NEN.0b013e31822581ac.
  47. Ihalainen T.O., S.F. Willman, E.A. Niskanen, O. Paloheimo, H. Smolander, J.P. Laurila, M.U. Kaikkonen, and M. Vihinen-Ranta. Distribution and dynamics of transcription-associated proteins during parvovirus infection. *Journal of Virology*, 86 13779-13784, 2012.
  48. Inagaki, A., E. Sleddens-Linkels, E. Wassenaar, M. Ooms, W. A. van Cappellen, J. H. Hoeijmakers, J. Seibler, T. F. Vogt, M. K. Shin, J. A. Grootegeod and W. M. Baarends (2011). Meiotic functions of RAD18. *J Cell Sci* 124 2837-2850.
  49. Inagaki, A., E. Sleddens-Linkels, W. A. v. Cappellen, R. G. Hibbert, T. K. Sixma, J. H. J. Hoeijmakers, J. A. Grootegeod and W. M. Baarends (2011). Human RAD18 interacts with ubiquitylated chromatin components and facilitates RAD9 recruitment to DNA double strand breaks. *PLoS One* 6(8).
  50. Inagaki, A., et al., Meiotic functions of RAD18. *Journal of Cell Science*, 2011. 124(16): p. 2837-2850.
  51. Jaarsma D, van der Pluijm I, de Waard MC, Haasdijk ED, Brandt R, Vermeij M, Rijksen Y, Maas A, van Steeg H, Hoeijmakers JH, van der Horst GT. Age-related neuronal degeneration: complementary roles of nucleotide excision repair and transcription-coupled repair in preventing neuropathology. *PLoS Genet*. 2011 7
  52. Jager, E., et al., Targeted drug delivery by gemtuzumab ozogamicin: Mechanism-Based mathematical model for treatment strategy improvement and therapy individualization. *PLoS ONE*, 2011. 6(9).
  53. Kapitein, L.C. and C.C. Hoogenraad, Which way to go?: Cytoskeletal organization and polarized transport in neurons. *Molecular and Cellular Neuroscience*, 2011. 46 9-20.
  54. Kapitein, L.C., et al., NMDA receptor activation suppresses microtubule growth and spine entry. *The Journal of Neuroscience*, 2011. 31 8194-8209.
  55. Katarina Larsen, K.L. Cheng, D. Tempel, Sherry Parker, Saami Yazdani, W.K. den Dekker, J.H. Houtgraaf, Renate de Jong, Stijn Swager-ten Hoor, E. Ligtenberg, S.R. Hanson, Steve Rowland, F. Kolodgie, P.W.J.C. Serruys, R. Virmani,

- and H.J. Duckers. Capture of circulatory endothelial progenitor cells and accelerated re-endothelialization of a bio-engineered stent in human ex vivo shunt and rabbit denudation model. *European Heart Journal*, 33 120-128, 2012.
56. Kersseboom, S., G. J. Kremers, E. C. Friesema, W. E. Visser, W. Klootwijk, R. P. Peeters and T. J. Visser (2013). Mutations in MCT8 in patients with Allan-Herndon-Dudley-syndrome affecting its cellular distribution. *Mol Endocrinol* 27 801-813.
  57. Kil L., M.J.W. de Bruijn, M. van Nimwegen, O.B.J. Corneth, J.P. van Hamburg, G.M. Dingjan, F. Thaiss, G.F. Rimmelzwaan, D. Elewaut, D. Delsing, P.F. van Loo, and R.W. Hendriks. Btk levels set the threshold for b-cell activation and negative selection of autoreactive b cells in mice. *Blood* 2011 119 3744-3756
  58. Kleppa L, Mari PO, Larsen E, Lien GF, Godon C, Theil AF, Nesse GJ, Wiksen H, Vermeulen W, Giglia-Mari G, Klungland A. Kinetics of endogenous mouse FEN1 in base excision repair. *Nucleic Acids Res.* 2012 40 9044-59.
  59. Kooiman, K., Foppen-Harteveld, M., and de Jong, N., Sonoporation of endothelial cells by vibrating targeted microbubbles, *Journal of Controlled Release*; 154 35-41, 2011.
  60. Kuijpers M, Vera van Dis, Elize D Haasdijk, Martin Harterink, Karin Vocking, Jan A Post, Wiep Scheper, Casper C Hoogenraad, Dick Jaarsma. Amyotrophic lateral sclerosis (ALS)-associated VAPB-P56S inclusions represent an ER quality control compartment. *Acta Neuropathologica Communications* 2013, 1:24
  61. Kuijpers M, Yu KL, Teuling E, Akhmanova A, Jaarsma D, Hoogenraad CC. The ALS8 protein VAPB interacts with the ER-Golgi recycling protein YIF1A and regulates membrane delivery into dendrites. *EMBO J.* 2013 32 2056-72.
  62. Kuijpers, M. and C.C. Hoogenraad, Centrosomes, microtubules and neuronal development. *Molecular and Cellular Neuroscience*, 2011. 48 349-358.
  63. Lans H, Lindvall JM, Thijssen K, Karambelas AE, Cupac D, Fensgård O, Jansen G, Hoeijmakers JH, Nilsen H, Vermeulen W. DNA damage leads to progressive replicative decline but extends the life span of long-lived mutant animals. *Cell Death Differ.* 2013 20 1709-18.
  64. Le Devedec, S. E., B. Geverts, H. de Bont, K. Yan, F. J. Verbeek, A. B. Houtsmuller and B. van de Water (2012). The residence time of focal adhesion kinase (FAK) and paxillin at focal adhesions in renal epithelial cells is determined by adhesion size, strength and life cycle status. *J Cell Sci* 125 4498-4506.
  65. Leslie, K., and Galjart, N. (2013). Going solo: measuring the motions of microtubules with an in vitro assay for TIRF microscopy. *Methods Cell Biol* 115, 109-124.
  66. Levy-Barda, A., et al., Involvement of the nuclear proteasome activator PA28 $\beta$  in the cellular response to DNA double-strand breaks. *Cell Cycle*, 2011. 10 4300-4310.
  67. Li L , ten Hagen TL, Haeri A, Soullié T, Scholten CE, Seynhaeve AL, Eggermont AM, Koning GA. A novel two-step mild hyperthermia for advanced liposomal chemotherapy. *J Control Release*. Accepted for publication
  68. Li L, ten Hagen TL, Bolkestein M, Gasselhuber A, Yatvin J, van Rhooon GC, Eggermont AM, Haemmerich D, Koning GA. Improved intratumoral nanoparticle extravasation and penetration by mild hyperthermia. *J Control Release*. 2013 167 130-7.
  69. Li L, ten Hagen TL, Hossann M, Süss R, van Rhooon GC, Eggermont AM, Haemmerich D, Koning GA. Mild hyperthermia triggered doxorubicin release from optimized stealth thermosensitive liposomes improves intratumoral drug delivery and efficacy. *J Control Release*. 2013 168 142-50.
  70. Lim SM, Koraka P, van Boheemen S, Roose JM, Jaarsma D, van de Vijver DA, Osterhaus AD, Martina BE. Characterization of the mouse neuroinvasiveness of selected European strains of west nile virus. *PLoS One*. 2013 8(9)
  71. Luis, T.C., N.M.B. Killmann, and F.J.T. Staal, Signal transduction pathways regulating hematopoietic stem cell biology: Introduction to a series of Spotlight Reviews. *Leukemia*, 2012. 26 86-90.
  72. Lummel M. van, van Blitterswijk WJ, Vink SR, Veldman RJ, van der Valk MA, Schipper D, Dicheva BM, Eggermont AM, ten Hagen TL, Verheij M, Koning GA. Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and efficacy in solid tumors. *FASEB J.* 2011 25 280-9.
  73. Manzoor AA, Lindner LH, Landon CD, Park JY, Simnick AJ, Dreher MR, Das S, Hanna G, Park W, Chilkoti A, Koning GA, ten Hagen TL, Needham D, Dewhirst MW. Overcoming limitations in nanoparticle drug delivery: triggered, intravascular release to improve drug penetration into tumors. *Cancer Res.* 2012 72 5566-75.
  74. Markwardt, M.L., et al., An improved cerulean fluorescent protein with enhanced brightness and reduced reversible photoswitching. *PLoS ONE*, 2011. 6(3).
  75. Maronde, E., et al., Dynamics in enzymatic protein complexes offer a novel principle for the regulation of melatonin synthesis in the human pineal gland. *Journal of Pineal Research*, 2011. 51 145-155.
  76. Mattioli F, Vissers JH, van Dijk WJ, Ikpa P, Citterio E, Vermeulen W, Martijn JA, Sixma TK. RNF168 ubiquitinates K13-15 on H2A/H2AX to drive DNA damage signaling. *Cell.* 2012 150 1182-95
  77. Menoni H, Hoeijmakers JH, Vermeulen W. Nucleotide excision repair-initiating proteins bind to oxidative DNA lesions in vivo. *J Cell Biol.* 2012 199 1037-46.
  78. Metz, S.W., et al., Functional processing and secretion of Chikungunya virus E1 and E2 glycoproteins in insect cells. *Virology Journal*, 2011. 8.
  79. Moltzer, E., L. te Riet, S. M. Swagemakers, P. M. van Heijningen, M. Vermeij, R. van Veghel, A. M. Bouhuizen, J. H. van Esch, S. Lankhorst, N. W. Ramnath, M. C. de Waard, D. J. Duncker, P. J. van der Spek PJ, Rouwet EV, Danser AH, Essers J. Impaired vascular contractility and aortic wall degeneration in fibulin-4 deficient mice: effect of angiotensin II type 1 (AT1) receptor blockade. *PLoS One*. 2011 6(8)
  80. Monasta, L., et al., Interventions for the prevention of overweight and obesity in preschool children: A systematic review of randomized controlled trials. *Obesity Reviews*, 2011. 12(501).
  81. Moyal, L., et al., Requirement of ATM-Dependent Monoubiquitylation of Histone H2B for Timely Repair of DNA Double-Strand Breaks. *Molecular Cell*, 2011. 41 529-542.
  82. Murtazina, R., et al., NHERF2 is necessary for basal activity, second messenger inhibition, and LPA stimulation of NHE3 in mouse distal ileum. *American Journal of Physiology: Cell Physiology*, 2011. 301(1).
  83. Nelissen K., M. Mulder, I. Smets, S. Timmermans, K. Smeets, M. Ameloot, and J.J.A. Hendriks. Liver x receptors regulate cholesterol homeostasis in oligodendrocytes. *Journal of Neuroscience Research*, 90 60-71, 2012
  84. Nodland, S.E., et al., IL-7R expression and IL-7 signaling confer a distinct phenotype on developing human B-lineage cells. *Blood*, 2011. 118 2116-2127.
  85. Oudshoorn D., S. van Boheemen, M.T. Sánchez-Aparicio, R. Rajsbaum, A. García-Sastre, and G.A. Versteeg. Herc6 is the main e3 ligase for global isg15 conjugation in mouse cells. *PLoS ONE*, 7(1):1-9, 2012.

86. Pan Q, de Ruiter PE, Metselaar HJ, Kwekkeboom J, de Jonge J, Tilanus HW, Janssen HLA and van der Laan LJW (2012) Mycophenolic acid augments interferon-stimulated gene expression and inhibits hepatitis C virus infection in vitro and in vivo. *Hepatology* 55: 1673-83 (Q1, IF 11.7)
87. Pan Q, Ramakrishnaiah V, Henry SD, Fouraschen S, Kwekkeboom J, Tilanus HW, Janssen HLA and van der Laan LJW (2012) Hepatic cell-to-cell transmission of small silencing RNA can extend the therapeutic reach of RNAi *Gut* 61: 1330-1339
88. Pan Q, Suomi M.G. Fouraschen, Fatima S.F. Aerts-Kaya, Monique M. Verstegen, Mario Pescatori, Andrew P. Stubbs, Wilfred van IJcken, Antoine van der Sloot, Ron Smits, Jaap Kwekkeboom, Herold J. Metselaar, Geert Kazemier, Jeroen de Jonge, Hugo W. Tilanus, Gerard Wagemaker, Harry L.A. Janssen and van der Laan LJW (2011) Mobilization of hepatic mesenchymal stem cells from adult human liver grafts. *Liver Transplantation* 17: 596-609
89. Pedrosa LR, van Hell A, Süß R, van Blitterswijk WJ, Seynhaeve AL, van Cappellen WA, Eggemont AM, ten Hagen TL, Verheij M, Koning GA. Improving intracellular doxorubicin delivery through nanoliposomes equipped with selective tumor cell membrane permeabilizing short-chain sphingolipids. *Pharm Res.* 2013 30 1883-95.
90. Pines A, Vrouwe MG, Marteiijn JA, Typas D, Luijsterburg MS, Cansoy M, Hensbergen P, Deelder A, de Groot A, Matsumoto S, Sugawara K, Thoma N, Vermeulen W, Vrieling H, Mullenders L. PARP1 promotes nucleotide excision repair through DDB2 stabilization and recruitment of ALC1. *J Cell Biol.* 2012 199 235-49.
91. Poulsen, S. L., R. K. Hansen, S. A. Wagner, L. van Cuijk, G. J. van Belle, W. Streicher, M. Wikstrom, C. Choudhary, A. B. Houtsmuller, J. A. Marteiijn, S. Bekker-Jensen and N. Mailand (2013). RNF111/Arkadia is a SUMO-targeted ubiquitin ligase that facilitates the DNA damage response. *J Cell Biol* 201 797-807.
92. Prodinge, C., et al., CD11c-expressing cells reside in the juxtavascular parenchyma and extend processes into the glia limitans of the mouse nervous system. *Acta Neuropathologica*, 2011. 121 445-458.
93. Ramakrishnaiah V, Thumann C, Fofana I, Habersetzer F, Pan Q, de Ruiter PE, Willemsen R, Demmers JA, Stalin Raj V, Jenster G, Kwekkeboom J, Tilanus HW, Haagmans BL, Baumert TF and van der Laan LJ. (2013) Exosome-mediated transmission of hepatitis C virus between human hepatoma Huh7.5 cells. *Proc Natl Acad Sci U S A.* 110: 13109-13
94. Robin, C., et al., CD41 is developmentally regulated and differentially expressed on mouse hematopoietic stem cells. *Blood*, 2011. 117(19): p. 5088-5091.
95. Roszik, J., et al., T-cell synapse formation depends on antigen recognition but not CD3 interaction: Studies with TCR a candidate transgene for TCR gene therapy. *European Journal of Immunology*, 2011. 41(5): p. 1288-1297.
96. Royen, M. E. van, A. Zotter, S. M. Ibrahim, B. Geverts and A. B. Houtsmuller (2011). Nuclear proteins: finding and binding target sites in chromatin. *Chromosome Res* 19 83-98.
97. Royen, M. E. van, D. J. van de Wijngaart, S. M. Cunha, J. Trapman and A. B. Houtsmuller (2013). A multi-parameter imaging assay identifies different stages of ligand-induced androgen receptor activation. *Cytometry A* 83 806-817.
98. Royen, M. E. van, W. A. van Cappellen, C. de Vos, A. B. Houtsmuller and J. Trapman (2012). Stepwise androgen receptor dimerization. *J Cell Sci* 125 1970-1979.
99. Rüdiger H., H.R.A.P. Geis, J. Gerard, and G. Borst. Large gabaergic neurons form a distinct subclass within the mouse dorsal cortex of the inferior colliculus with respect to intrinsic properties, synaptic inputs, sound responses, and projections. *The Journal of Comparative Neurology*, 521 189-202, 2013.
100. Ruiz-Saenz, A., van Haren, J., Laura Sayas, C., Rangel, L., Demmers, J., Millan, J., Alonso, M.A., Galjart, N., and Correas, I. (2013). Protein 4.1R binds to CLASP2 and regulates dynamics, organization and attachment of microtubules to the cell cortex. *J Cell Sci* 126, 4589-4601.
101. Sarker, R., et al., NHERF1 and NHERF2 are necessary for multiple but usually separate aspects of basal and acute regulation of NHE3 activity. *American Journal of Physiology: Cell Physiology*, 2011. 300(4).
102. Schrader, J.M., et al., EB1 and EB3 promote cilia biogenesis by several centrosome-related mechanisms. *Journal of Cell Science*, 2011. 124 2539-2551.
103. Schwertman P, Lagarou A, Dekkers DH, Raams A, van der Hoek AC, Laffeber C, Hoeijmakers JH, Demmers JA, Fousteri M, Vermeulen W, Marteiijn JA. UV-sensitive syndrome protein UVSSA recruits USP7 to regulate transcription-coupled repair. *Nat Genet.* 2012 44 598-602.
104. Segers D, Lipton JA, Leenen PJ, Cheng C, Tempel D, Pasterkamp G, Moll FL, de Crom R, Krams R. Atherosclerotic Plaque Stability Is Affected by the Chemokine CXCL10 in Both Mice and Humans. *Int J Inflamm.* 2011 9 36109.
105. Seynhaeve AL, Dicheva BM, Hoving S, Koning GA, Ten Hagen TL. Intact Doxil is taken up intracellularly and released doxorubicin sequesters in the lysosome: Evaluated by in vitro/in vivo live cell imaging. *J Control Release.* 2013 172 330-340.
106. Sikkema, A.H., et al., Vascular endothelial growth factor receptor 2 (VEGFR-2) signalling activity in paediatric pilocytic astrocytoma is restricted to tumour endothelial cells. *Neuropathology and Applied Neurobiology*, 2011. 37 538-548.
107. Sleutels, F., Soochit, W., Bartkuhn, M., Heath, H., Dienstbach, S., Bergmaier, P., Franke, V., Rosa-Garrido, M., van de Nobelen, S., Caesar, L., van der Reijden, M., Bryne, J.C., van Ijcken, W., Grootegoed, J.A., Delgado, M.D., Lenhard, B., Renkawitz, R., Grosveld, F., and Galjart, N. (2012). The male germ cell gene regulator CTCFL is functionally different from CTCF and binds CTCF-like consensus sites in a nucleosome composition-dependent manner. *Epigenetics Chromatin* 5, 8.
108. Smeenk G, Wiegant WW, Marteiijn JA, Luijsterburg MS, Sroczyński N, Costelloe T, Romeijn RJ, Pastink A, Mailand N, Vermeulen W, van Attikum H. Poly(ADP-ribosyl)ation links the chromatin remodeler SMARCA5/SNF2H to RNF168-dependent DNA damage signaling. *J Cell Sci.* 2013 126 889-903
109. Spangler SA, Jaarsma D, De Graaff E, Wulf PS, Akhmanova A, Hoogenraad CC. Differential expression of liprin- $\alpha$  family proteins in the brain suggests functional diversification. *J Comp Neurol.* 2011 519 3040-60.
110. Spek, E. V. Rouwet, A. H. Danser and J. Essers (2011). Impaired vascular contractility and aortic wall degeneration in fibulin-4 deficient mice: effect of angiotensin II type 1 (AT1) receptor blockade. *PLoS One* 6(8)  
Spronsen M van, Mikhaylova M, Lipka J, Schlager MA, van den Heuvel DJ, Kuipers M, Wulf PS, Keijzer N, Demmers J, Kapitein LC, Jaarsma D, Gerritsen HC, Akhmanova A, Hoogenraad CC. TRAK/Milton motor-adaptor proteins steer mitochondrial trafficking to axons and dendrites. *Neuron.* 2013 77 485-502.
111. Straetmans T, Coccoris M, Berrevoets C, Treffers-Westerlaken E, Scholten CE, Schipper D, Ten Hagen TL, Debets R. T-cell receptor gene therapy in human melanoma-bearing immune-deficient mice: human but not mouse T cells recapitulate outcome of clinical studies. *Hum Gene Ther.* 2012 23(2):187-201.
112. Tanenbaum, M.E., et al., A complex of Kif18b and MCAK promotes microtubule depolymerization and is negatively regulated by aurora kinases. *Current Biology*, 2011. 21 1356-1365.

113. Theil AF, Nonnekens J, Steurer B, Mari PO, de Wit J, Lemaitre C, Martejijn JA, Raams A, Maas A, Vermeij M, Essers J, Hoeijmakers JH, Giglia-Mari G, Vermeulen W. Disruption of TTDA results in complete nucleotide excision repair deficiency and embryonic lethality. *PLoS Genet.* 2013 9(4)
114. Theil AF, Nonnekens J, Wijgers N, Vermeulen W, Giglia-Mari G. Slowly progressing nucleotide excision repair in trichothiodystrophy group A patient fibroblasts. *Mol Cell Biol.* 2011 31 3630-8.
115. Timmerman I.S.K., M. Hoogenboezem, A.M. Bennett, D. Geerts, P.L. Hordijk, and J.D. van Buul. The tyrosine phosphatase shp2 regulates recovery of endothelial adherens junctions through control of  $\beta$ -catenin phosphorylation. *Molecular Biology of the Cell*, 23 4212-4225, 2012
116. Vaart, B.v.d., et al., SLAIN2 links microtubule plus end-tracking proteins and controls microtubule growth in interphase. *The Journal of Cell Biology*, 2011. 193 1083-1099.
117. Vries J.F. de, C.M. Zwaan, M. de Bie, J.S. Voerman, M.L. den Boer, J.J.M. van Dongen, and V.H.J. van der Velden. The novel calicheamicin-conjugated cd22 antibody inotuzumab ozogamicin (cmc-544) effectively kills primary pediatric acute lymphoblastic leukemia cells. *Leukemia*, 26 255-264, 2012.
118. Warmerdam DO, Brinkman EK, Martejijn JA, Medema RH, Kanaar R, Smits VA. UV-induced G2 checkpoint depends on p38 MAPK and minimal activation of ATR-Chk1 pathway. *J Cell Sci.* 2013 126 1923-30.
119. Wei, Z., et al., Liprin-Mediated Large Signaling Complex Organization Revealed by the Liprin-1/CASK and Liprin-1/Liprin-2 Complex Structures. *Molecular Cell*, 2011. 43 586-598.
120. Willemsen, R.A., G.J. Levenega, and B.A. Oostra, CGG repeat in the FMR1 gene: Size matters. *Clinical Genetics: an international journal of genetics and molecular medicine*, 2011. 80 214-225.
121. Yokomizo, T., et al., Three-dimensional imaging of whole midgestation murine embryos shows an intravascular localization for all hematopoietic clusters. *Blood*, 2011. 117 6132-6134.
122. Zheng, P.P., et al., HeNe laser (633 nm)-coupled confocal microscope allows simulating magnetic resonance imaging/computed tomography scan of the brain and eye: A noninvasive optical approach applicable to small laboratory animals. *Zebrafish*, 2011. 8 83-85.
123. Zuiverloon, T.C.M., et al., No evidence of FGFR3 mutations in prostate cancer. *The Prostate*, 2011. 71 637-641.
124. Zuiverloon, T.C.M., et al., Optimization of nonmuscle invasive bladder cancer recurrence detection using a urine based FGFR3 mutation assay. *The Journal of Urology*, 2011. 186 707-712.